



# BT-PG 2000/2 **Power Generator**

Synchronous

1 x 2,000 W

1 x 2,200 W

2 x 230 V ~

50 Hz

196 cm<sup>3</sup>

4 kW / 5.4 HP

## Art.-No. 41.524.20

This "power station" supplies energy and provides security.

Power will be available whenever it is needed. Power failures or insufficient current supply are no longer a problem; whether during camping, at building sites, in homes or cottages, on boats or in the garden. This equipment can be used nearly everywhere, and, with its continuous power supply of 2,000 watts provides sufficient power for many applications. The large 13-litre tank ensures continuous operation for 11 hours at 2/3 load. The power generator is powered by a highquality 4-stroke engine and is equipped with an overload switch.

BLUE

### **Features**

- Large 13-litre tank for continuous power (1) Convenient fuel gauge (2)
- 2 x 230 V socket for simple current drain (3) Overload switch for equipment reliability (4)
- Practical voltmeter (5)
- Powerful 4-stroke drive motor (6)
- Linkage to start the motor (7)
- Oil deficiency safety device to protect the motor
- Full crank shaft
- Automatic voltage regulation

AUTOMATIC VOLTAGE REGULATION

### **Technical Data**

- Generator:
- Continuous Power (S1):
- Max. Power (S2 2 min):
- Nominal current:
- Frequency:
- Type:
- Cylinder capacity:
- Max. motor power:

Net weight:

Gross weight:

Fuel:

### Petrol Tank capacity: 131 Running time at 2/3 load: approx. 11 hours 95 dB (A) Noise level: Product weight: 36.9 kg Logistic Data



Packing dimensions: Bar code: 4006825 575590 Sales unit: 1 pc

As special accessory available:

Petrol and oil suction pump Einhell Grey

Art.-No.: 34.070.00 Bar code: 4006825 547276

7

Abbildungen können nicht im Serien-Lieferumfang enthaltenes Zubehör darstellen / Illustrations can contain accessories, which are not included in standard extent of delivery. Abbildungen ähnlich, produktionsbedingte Abweichung vorbehalten / Illustration similar (in design), production-wise modifications reserved. File: S:\shared-pool\Product-Documentation\T-Produktbeschreibung\30\_n0t\Originale\_Englisch\_PA04\4152420\_11022.doc Erstelldatum/create date: 23.11.2012 12:31:00Aktualisiert/up dated: 04.12.2012

3

5

6

1 cylinder, 4-stroke air cooled

620 x 470 x 480 mm

