Strong connections with different materials!











Electric welding transformers are especially used for joining by welding of flat-iron, angle iron, tubes or similar material. One great advantage of electric welding is, that the materials might not be warmed up and welding can be started directly at the requested position. Work pieces with various strength can also be welded with each other without any problems. The electric welding transformer can be operated with 230 v/400v nominal voltage. You can regulate the nominal voltage with a rotary switch. The Electric welding transformer is for mobile application optimally qualified.

NSG 180 F Electric Welding Transformer

Logistic Informations:

NSG 180 F Type: Sales unit: 1 pcs 600 pcs Art.-No.: 15.440.60 20``: 01026 Ident-No.: 40``: -- pcs Bar Code: 4006825 516364 40"HC: -- pcs

Packing: 475 x 265 x 400 mm **Weight:** 25,8 kg (gross)



Strong connections with different materials!





Features:

- Female connector (230V~50Hz) with over load switch (6A) at the back side for external tools
- Continuous adjustable welding current
- Practical electrode storage
- Main cable 400 V
- Main cable 230 V
- Rotary switch for nominal voltage 230V/400 V
- Thermo cut out with control lamp
- Handle
- Complete with welding accessories
- Turbo cooling by integrated cool ventilator

Technical Data:

- Mains: 230 V/ 400 V ~ 50 Hz - Electrodes: Ø 2,0 – 4,0 mm

- No load voltage: 48 V - Fuse: 16 A

- Welding current: 140 A at 230 V \sim 160 A at 400 V \sim

- Electrodes Ø: 2.0-3.2 mm at 230V 2.0-4.0 mm at 400V

Logistic Informations:

Type: NSG 180 F Tool: Electric Welding Transfomer Sales unit: 1 pcs

 Art.-No.:
 15.440.60
 20``:
 600 pcs

 Ident-No.:
 01026
 40``:
 -- pcs

 Bar Code:
 4006825 516364
 40``HC:
 -- pcs

Packing: 485 x 270 x 415 mm **Weight:** 25,8 kg (gross)

