



EXPERT

Cordless Sliding Mitre Saw

TE-SM 36/210 Li - Solo

Item No.: 4300880 Ident No.: 21020

Bar Code: 4006825641523

The Einhell TE-SM 36/210 Li – Solo cordless drag, crosscut and miter saw, as a member of the PXC family, has an unlimited radius of operation: No need for a plug socket and no cable required. It has a smooth draw function and a high-quality carbide-tipped precision saw blade for cordless sawing. The X-Tend workpiece supports are easy to adjust with one hand. The clamping device is for secure fastening. The turntable has a precise angle adjustment facility for angular cuts with exact locking positions and the saw head can also be tilted up to 45° to the left. A cutting line laser and an LED light help make light work of performing cuts. For optimum results it is recommended that two 2.5 Ah rechargeable batteries (or more powerful) are used.

Features & Benefits

- Member of the Power X-Change family
- Boundless reach of action, no annoying cable, nothing to wind
- A smoothly running drag function for wide workpieces
- Turntable with precise angle setting for angular cuts
- Saw head tilts up to 45° to the left for miter cutting
- X-Tend work supports with ergonomic singlehand operation facility
- High-grade precision saw blade, developed for cordless mitre saws
- Laser and LED for easy and safe use
- Clamping device for holding the workpiece securely in position
- Includes sawdust bag to keep the workplace clean
- Recommendation for best results: 2.5 Ah Plus batteries or higher

Technical Data

- No-load speed (idle speed)	3800 min^-1
- Saw blade	210 x 30 mm
- Mitre cut	45°-0°
- Swiveling range	47° - 47°
- Cutting capacity 90° x 90°	310 x 65 mm
- Cutting capacity 90° x 45°	210 x 65 mm
- Cutting capacity 45° x 90°	310 x 35 mm
- Cutting capacity 45° x 45°	210 x 35 mm
- Diameter of suction adapter	36 mm

Logistic Data

 Product weight (kg) 	12.57 kg
- Gross weight (kg)	15.56 kg
- Dimensions single packaging	782 x 436 x 360 mm
- Pieces per export carton	1 Pieces
- Gross weight of export carton	15.56 kg
- Dimensions export carton	782 x 436 x 360 mm
- Container quantity (20"/40"/40"HC)	210 450 525







Available as special accessories



E-Stand Stationary Saw Accessory Item No.: 4310620 Bar Code: 4006825584974 **Einhell Accessory**

18V 4-6Ah Multi-Ah PXC Plus Battery Item No.: 4511502 Bar Code: 4006825644210

Battery

Einhell Accessory

Item No.: 4511395

Einhell Accessory





18V 4,0Ah PXC Starter Kit 1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory

18V 2,0Ah Power X-Change

Bar Code: 4006825610369



Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory



Stationary Saw Accessory Item No.: 4310614 Bar Code: 4006825660050 Einhell Accessory TCT circ saw blade 210x30 T48 Stat. Saw Accessory; Saw blade Item No.: 49587861 Bar Code: 4009315878614

MSS 1608







Einhell Accessory Sbl Set Ø 210x30x2,5 T24/42/60 Stat. Saw Accessory; Saw Blade Item No.: 49587805 Bar Code: 4009315878058

Einhell Accessory

18V 3,0Ah Power X-Change Plus Battery Item No.: 4511501 Bar Code: 4006825644197 Einhell Accessory



Sbl D 210x30x2,6 T24 Stat. Saw Accessory; Saw blade Item No.: 4502067 Bar Code: 4006825667790 Einhell Accessory



















18V 3,0 Ah Power-X-Change 2

MSS 1610 Stationary Saw Accessory Item No.: 4310615 Bar Code: 4006825637496 Einhell Accessory

18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 **Einhell Accessory**



18V 5,2Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory

18V 2,0Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512040 Bar Code: 4006825613681 Einhell Accessory

Sbl Ø 210x30x1,8 T40 Stat. Saw Accessory; Saw blade Item No.: 49587852 Bar Code: 4009315878522 Einhell Accessory

Sbl Ø 210x30x1,8 T64 Stat. Saw Accessory; Saw blade Item No.: 49587862 Bar Code: 4009315878621 **Einhell Accessory**

Power X-Boostcharger 6A Charger Item No.: 4512064 Bar Code: 4006825629019 **Einhell Accessory**

Battery Item No.: 4511341 Bar Code: 4006825590593 Einhell Accessory

GS mark belongs to the product itself only, excluded accessory Page 2

Battery-Running-Times

	~	A
One Battery for All	sawing ¹	sawing ²
	(pieces)	(pieces)
1.5 Ah	140	263
2.0 Ah	185	350
2.5 Ah	230	435
3.0 Ah	275	525
4.0 Ah	370	700
5.2 Ah	480	910
6.0 Ah	555	1050
8.0 Ah	740	1400

Test setup:

1) softwood - scantling 60x60 mm

2) laminate - laminate 195x8mm