



PROFESSIONAL

Cordless Angle Grinder

TP-AG 18/125 CE Q Li - Solo

Item No.: 4431155

Ident No.: 21012

Bar Code: 4006825668797

The Professional cordless angle grinder TP-AG 18/125 CE Q Li-Solo is a member of the Power X-Change family. Powered by a powerful brushless motor. The speed can be adjusted from 3,000-10,500 rpm by means of speed electronics with LED display. The continuous speed electronics ensure constant power without loss of speed. The quick-release nut makes it possible to change the cutting disc without tools. The cordless angle grinder can be used with cutting discs up to Ø 125 mm. For comfortable handling, it is equipped with an additional handle, softstart and disc guard with quick adjustment. Delivery without cutting disc, without a battery or charger.

OWER X-CHANGE

Features & Benefits

- Member of the Power X-Change family
- Brushless motor more power and longer runtime
- Soft start and restart protection for safety and unit protection
- Toolless disc change due to quick-release nut
- Durability thanks to overload protection
- Disc guard with quick adjustment for more flexibility
- Constant electronics enables high load without speed loss
- Speed regulation with LED display
- Additional handle flexibly mountable in two positions
- Support surface for safe placement of the device
- Recommendation for optimal results: 2.5 Ah battery and larger
- Supplied without battery and charger (sold separately)
- Supplied without cutting and grinding wheels (sold separately)



Technical Data

125 mm - Disc size 3000 min^-1 - No-load speed (idle speed) Min. 10500 min^-1 - No-load speed (idle speed) Max. - Max. cutting depth 33 mm



- Product weight (kg) 1.7 - Gross weight (kg) 2.11

- Dimensions single packaging 350 x 155 x 130 mm 4 Pieces

- Pieces per export carton - Gross weight of export carton 10 kg

365 x 325 x 280 mm - Dimensions Export Carton - Container quantity (20"/40"/40"HC) 3568 | 7136 | 8048

















Available as special accessories



2x 3,0Ah & Twincharger Kit PXC-Starter-Kit Item No.: 4512083 Bar Code: 4006825638509



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 **Einhell Accessory**

18V 4,0Ah Power X-Change 1 Battery Item No.: 4511396

Bar Code: 4006825610376 **Einhell Accessory**



2x2 Power X-Quattrocharger 4A Charger Item No.: 4512102

Bar Code: 4006825649536 Einhell Accessory

Power X-Fastcharger 4A Charger Item No.: 4512103

Bar Code: 4006825650228 Einhell Accessory



Power X-Twincharger 3A

Charger Item No.: 4512069 Bar Code: 4006825629729

Einhell Accessory



2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit Item No.: 4512112 Bar Code: 4006825655766

Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack Battery

Item No.: 4511526 Bar Code: 4006825656695

Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB 1

Battery Item No.: 4511489

Bar Code: 4006825638578

Einhell Accessory



18V 4,0Ah Power-X-Change Plus

Battery

Item No.: 4511553 Bar Code: 4006825660869 Einhell Accessory



18V 3,0Ah Power X-Change Plus

Battery Item No.: 4511501 Bar Code: 4006825644197 Einhell Accessory



18V 5-8Ah Multi-Ah PXC Plus

Battery Item No.: 4511600 Bar Code: 4006825665055

Einhell Accessory



18V 4-6Ah Multi-Ah PXC Plus

Battery Item No.: 4511502

Bar Code: 4006825644210 Einhell Accessory

18V 2,0Ah Power X-Change Battery Item No.: 4511395

Bar Code: 4006825610369

Einhell Accessory


18V 4,0Ah PXC Starter Kit 1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704

Einhell Accessory



18V 2,5Ah Power X-Change

Battery Item No.: 4511516 Bar Code: 4006825650518 Einhell Accessory



Power X-Car Charger 3A

Charger Item No.: 4512113 Bar Code: 4006825655377 Einhell Accessory


2x 18V 2,5Ah PXC-Twinpack CB Battery Item No.: 4511524

Bar Code: 4006825656206 Einhell Accessory



18V 2,0Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512040 Bar Code: 4006825613681

Einhell Accessory



18V 3,0 Ah Power-X-Change 2 ltem No.: 4511341 Bar Code: 4006825590593 Einhell Accessory

Trennschutz TP-AG 18/125 CE Q Angle Grinder Accessory Item No.: 4450059

Bar Code: 4006825670028

No Name

Battery-Running-Times

One Battery for All	cutting ¹
	(pieces)
1.5 Ah	29
2.0 Ah	38
2.5 Ah	48
3.0 Ah	57
4.0 Ah	76
5.2 Ah	98
6.0 Ah	113
8.0 Ah	151

For best performance select a battery with at least 2.5 Ah

1) metal - round steel Ø 12 mm - Max. electronic speed