







#### TE-AC 36/150 Li OF-Solo

Item No.: 4020415

Ident No.: 21013

Bar Code: 4006825672909

OWER CHANGE

With the Einhell cordless compressor TE-AC 36/150 Li OF-Solo, you won't run out of air easily. This is thanks to the powerful yet portable cordless compressor, with its 6-litre tank, max. 8 bar operating pressure and intake capacity of 150 litres per minute. It is powered by Twin-Pack technology, which uses a pair of 18 V Power X-Change batteries. The pump does not require oil or servicing. The regulated working pressure can be read on the pressure gauge and extracted via quick coupling. With its carrying handle and rubberized feet, the compressor is portable and stable, and makes little noise during operation. The item does not include a battery or charger, which are sold separately.

### Features & Benefits

- Member of the Power X-Change family, 2 x 18 V battery required
- TWIN-PACK technology: 2x18 V Power X-Change batteries more power
- Oil-free, service-free pump for low maintenance requirements
- Mobile, powerful battery compressor with 6 litre tank
- Ergonomic design and handle for easy transport
- Pressure gauge and quick coupling for regulated working pressure
- Vibration-damping feet ensure a safe stand
- Drainage tap for draining off the condensed water
- Pressure reducer for manual setting of the desired pressure
- 10 year guarantee against rusting through of the boiler
- Accessory compartment for neat storage of optional accessories
- Supplied without battery and without charger (sold separately)



#### **Technical Data**

- Engine speed 16000 min^-1 3200 min^-1 - Pump speed - Intake capacity 150 L/min 95 L/min - Output power at 0 bar 70 L/min - Output power at 4 bar 50 I /min - Output power at 7 bar - Max. operating pressure 8 bar - Tank capacity - No. of cylinders 1 Pieces - Sound pressure level; Lpa 73 dB (A) - Sound power level; Lwa 94 dB (A)



- Product weight (kg) 9.17 - Gross weight (kg) 10.5

- Dimensions single packaging 450 x 325 x 380 mm

- Pieces per export carton 1 Pieces - Gross weight of export carton 10.9 kg

440 x 325 x 370 mm - Dimensions export carton - Container quantity (20"/40"/40"HC) 534 / 1098 / 1268



















## Available as special accessories



blow out gun, short Air Compressor Accessory Item No.: 4133100 Bar Code: 4006825411065 Einhell Accessory



Prof. Tire Pressure Gauge Air Compressor Accessory Item No.: 4133110 Bar Code: 4006825574173 Einhell Accessory



TC-PN 50 Stapler (Pneumatic) Item No.: 4137790 Bar Code: 4006825641387 Einhell Classic



18V 3,0Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512041 Bar Code: 4006825613698 Einhell Accessory



Blow Out Gun Set Air Compressor Accessory Item No.: 4132759 Bar Code: 4006825649819 Einhell Accessory



Blow-out Gun w 4 Exch. Nozzles Air Compressor Accessory Item No.: 4132762 Bar Code: 4006825659948 Einhell Accessory



Tire pressure gauge Air Compressor Accessory Item No.: 4137000 Bar Code: 4006825411164 Einhell Accessory



18V 3,0 Ah Power-X-Change 2 Battery Item No.: 4511341 Bar Code: 4006825590593 Einhell Accessory



18V 5,2Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory



blow out gun, long Air Compressor Accessory Item No.: 4133102 Bar Code: 4006825417067 Einhell Accessory



Tire pressure gauge digital Air Compressor Accessory Item No.: 4133115 Bar Code: 4006825625738 Einhell Accessory



18V 4,0Ah Power X-Change 1 Battery Item No.: 4511396 Bar Code: 4006825610376 Einhell Accessory



18V 4,0Ah PXC Starter Kit 1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory



Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory



Blow-out gun, long 500mm Air Compressor Accessory Item No.: 4132763 Bar Code: 4006825660531 Einhell Accessory



Power X-Boostcharger 6A Charger Item No.: 4512064 Bar Code: 4006825629019 Einhell Accessory



Druckluftset 3-tlg Air Compressor Accessory Item No.: 4132741 Bar Code: 4006825417050 Einhell Accessory

# **Battery-Running-Times**

	<b>⊘</b>	<u> </u>
One Battery for All	inflating cycles <sup>1</sup>	stapling <sup>2</sup>
	(pieces)	(pieces)
1.5 Ah	0	0
2.0 Ah	0	0
2.5 Ah	26	410
3.0 Ah	36	600
4.0 Ah	45	720
5.2 Ah	54	850
6.0 Ah	72	1200
8.0 Ah	90	1440

For best performance select a battery with at least 2.5 Ah

1) -

2) softwood - staples 13 mm