







TE-MT 18/34 Li Solo

Item No.: 4419360

Ident No.: 21012

Bar Code: 4006825668728

OWER X-CHANGE

The Einhell cordless grinding and engraving tool TE-MT 18/34 Li-Solo is a faithful helper for various tasks such as engraving, polishing, milling, sanding, cutting and brushing. It is part of the combinable Power X-Change family. The speed is precisely adjusted by continuously adjustable speed electronics. The locking knob allows simple and comfortable tool change. Optimal results are possible thanks to the pin on the 92 cm long, flexible shaft. The station is equipped with an accessories holder, an accessories box, a carrying strap, a wall bracket and rubberised feet. Delivery incl. 55piece accessories set, without battery or charger.

Features & Benefits

- Member of the Power X-Change family, 1x 18V battery required
- Speed electronic control for material-specific usage
- Lock button for easy tool change
- Flexible shaft with narrow pin for precise work
- Practical holder for flexible, 92 cm long shaft
- Rubber feet for secure stand of the station
- 150 cm carrying strap for flexible use of the station
- Accessory holder on the station for frequently used accessories
- Additional removable accessory box integrated in the housing
- Wall mounting for easy storage of the station
- 55-piece accessory set for a wide range of jobs
- Supplied without battery and charger (sold separately)

Technical Data

- Voltage 18 V

- No-load speed 5000 - 34000 min^-1

92 mm - Length flexible shaft - Length carrying strap 150 cm - Quantity accessories 55 Pieces



- Product weight (kg) 0.94 - Gross weight (kg) 2.49

- Dimensions single packaging 332 x 210 x 155 mm

- Pieces per export carton 4 Pieces - Gross weight of export carton 10.5 kg

438 x 352 x 332 mm - Dimensions export carton - Container quantity (20"/40"/40"HC) 2032 | 4380 | 5080



















5000min-1

Available as special accessories



4-6 Ah Multi-Ah Power X-Change Plus Battery

Item No.: 4511502 Bar Code: 4006825644210



4,0 Ah Power X-Change Battery Item No.: 4511396

Bar Code: 4511396 Bar Code: 4006825610376 Einhell Accessory



Power X-Fastcharger 4A Charger Item No.: 4512103 Bar Code: 4006825650228 Einhell Accessory



Power X-Car Charger 3A Charger Item No.: 4512113 Bar Code: 4006825655377

Einhell Accessory



2x 18V 5,2Ah PXC-Twinpack Battery Item No.: 4511526 Bar Code: 4006825656695 Einhell Accessory



3,0 Ah Power X-Change Plus Battery Item No.: 4511501 Bar Code: 4006825644197 Einhell Accessory



18V 4-6Ah & 6A Boostcharger PXC-Starter-Kit Item No.: 4512143 Bar Code: 4006825667653 Einhell Accessory



Zubeh.Set Schleif-/Gravurwerkz Schleif-/ Gravur-Werkzeug-Zub. Item No.: 49510950 Bar Code: 4009315109503 Einhell Accessory



5,2 Ah Power X-Change Plus Battery Item No.: 4511437 Bar Code: 4006825616606 Einhell Accessory



2,0 Ah Power X-Change Battery Item No.: 4511395 Bar Code: 4006825610369 Einhell Accessory



2x18V 4,0Ah PXC-Twinpack CB B1 Battery Item No.: 4511489 Bar Code: 4006825638578



18V 2,5Ah PXC Starter Kit PXC-Starter-Kit Item No.: 4512097 Bar Code: 4006825646962 Einhell Accessory



2x2 Power X-Quattrocharger 4A Charger Item No.: 4512102 Bar Code: 4006825649536 Einhell Accessory



Power X-Twincharger 3A Charger Item No.: 4512069 Bar Code: 4006825629729 Einhell Accessory



2x 4,0Ah & Twincharger Kit 1 PXC-Starter-Kit Item No.: 4512112 Bar Code: 4006825655766 Einhell Accessory



5,2Ah & 4A Fastcharger PXC-Starter-Kit Item No.: 4512114 Bar Code: 4006825656787 Einhell Accessory



18V 5-8Ah Multi-Ah PXC Plus Battery Item No.: 4511600 Bar Code: 4006825665055 Einhell Accessory



Zubeh.Set Doppelsch./Gravurwkz Doppelschleifer-Zubehör Item No.: 49510951 Bar Code: 4009315109510 Einhell Accessory



Power X-Boostcharger 8A Charger Item No.: 4512155 Bar Code: 4006825670554 Einhell Accessory



18V 4,0Ah Power-X-Change Plus Battery Item No.: 4511553 Bar Code: 4006825660869 Einhell Accessory



18V 4,0Ah PXC Starter Kit B1 PXC-Starter-Kit Item No.: 4512042 Bar Code: 4006825613704 Einhell Accessory

Battery-Running-Times

_	
_	•

One Battery for All	running time ¹ (min.)
1.5 Ah	30
2.0 Ah	40
2.5 Ah	49
3.0 Ah	59
4.0 Ah	79
5.2 Ah	102
6.0 Ah	118
8.0 Ah	157

Test setup:

1) no-load - Max. electronic speed