


ROOF GUTTERING CLEANING SET ASSEMBLY MANUAL






🔺 SAFETY WARNINGS

WARNING! This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.

- Only use with Ozito PXC Jet Blower PXJBS-018/PXJBGS-1820 according to the instructions and warnings given with the appliance and in this manual.
- Always wear adequate protective clothing when operating the jet blower to avoid injuries to face, eyes, hands, feet, head or hearing. Use safety glasses or a face shield, high boots or sturdy shoes, long trousers, work gloves, a hard hat and ear defenders.
- Switch the jet blower off and remove the battery when the appliance is not being used, left unattended, being cleaned or being moved from one place to another.
- Electric shock can cause fatal injury! Keep well away from overhead power cables.
- All bystanders must be kept at least 10m from the machine. Be careful not to be hit by objects lying in the roof guttering.
- Hold the equipment with both hands.
- Never use to gather (blow) hot, combustible or explosive materials into piles.
- Do Not use while on a ladder.
- Do Not point or operate at persons, animals or other objects that this product is not intended for.
- Do not use on person to blow debris or dust off oneself or others.

KNOW YOUR PRODUCT

ROOF GUTTERING CLEANING SET



Scan this QR Code with your mobile device to take you to the online manual.



SETUP & PREPARATION


1. ASSEMBLY

WARNINGI ENSURE THE TOOL IS SWITCHED OFF AND THE BATTERY IS REMOVED BEFORE PERFORMING ANY OF THE FOLLOWING TASKS.


Installing the Roof Guttering Cleaning Set

1. With the Nozzle attached to the jet blower, slide the Adaptor over the outlet of the nozzle as far as it will go, aligning the adaptor grove (a) with the raised tab (b) on the outlet of the nozzle so it is in large site and the nozzle so it is


in line with open (c) as you do this.



2. Rotate the adaptor to lock the raised tab (b) in opening (c).




WARNING: THE ADAPTOR MUST BE TURNED AS FAR AS IT WILL GO AND LOCK INTO PLACE TO ENSURE IT IS FIRMLY SECURED IN POSITION. 3. Screw the 400mm Extension onto the Adaptor.



4. Depending on your requirements, screw on more 400mm extensions or the Gutter Nozzle.

Note: Maximum of three extensions should be equipped for a approximate tool length of 1.8 metres, suitable for most single story buildings.

DO NOT use for application above recommended gutter height of 3.3 metres.



WARNINGI THE EXTENSIONS AND GUTTER NOZZLE MUST BE FULLY TIGHTENED TO ENSURE THEY ARE FIRMLY SECURED IN POSITION. DO NOT OPERATE UNTIL FITMENTS ARE FULLY SECURED.

WARNING DO NOT USE ANY ATTACHMENTS OR ACCESSORIES NOT RECOMMENDED BY THE MANUFACTURER OF THIS PRODUCT, AS IT CAN RESULT IN SERIOUS PERSONAL INJURY.

WARNING! DO NOT OPERATE THE JET BLOWER IN A TREE, ON A LADDER, FROM A ROOFTOP, OR ANY UNSTABLE SUPPORT, THIS IS EXTREMELY DANGEROUS.

OPERATION

2. APPLICATION

WARNING: DO NO USE THE JET BLOWER WITHOUT THE NOZZLE ATTACHMENT.

WARNING: ALWAYS WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (PPE) WHEN USING THE BLOWER, SUCH AS STURDY, NON-SLIP FOOTWEAR, LONG TROUSERS, SAFETY GLASSES AND HEARING PROTECTION. NEVER USE EQUIPMENT BAREFOOT OR IN SANDALS.

The Brushless Jet Blower with Roof Guttering Cleaning Kit is designed for clearing away loose and light debris, such as leaves and moss from roof guttering.

Hold the jet blower firmly with both hands, direct the gutter nozzle so that it enters the roof guttering as a slight angle. The opening must point away from yourself so that you will not be hit by objects lying in the roof guttering.


Turn the jet blower on, set the desired blowing velocity by pressing the speed button.

Move slowly in order to free the roof gutter of debris.

Be careful where you point the jet of air as it can move heavy material and cause injury or damage to bystanders.

Note: Be aware of other people and animals in the area where you are to be operating the Jet blower.

Note: Avoid collisions with hard objects which could damage your jet blower and supplied attachments.



WARNING DO NO OPERATE THIS APPLIANCE WITH LONG LOOSE HAIR OR LOOSE FITTING JEWELLERY. TIE LONG LOOSE HAIR BACK AND REMOVE LOOSE FITTING JEWELLERY.

CARING FOR THE ENVIRONMENT



Power tools that are no longer usable should not be disposed of with household waste but in an environmentally friendly way. Please recycle where facilities exist. Check with your local council authority for recycling advice.



Recycling packaging reduces the need for landfill and raw materials. Reuse of recycled material decreases pollution in the environment. Please recycle packaging where facilities exist. Check with your local council authority for recycling advice.

SPARE PARTS

Spare parts can be ordered from the Special Orders Desk at your local Bunnings Warehouse. For further information, visit www.ozito.com.au or contact Ozito Customer Service: Australia 1800 069 486 New Zealand 0508 069 486 E-mail: hello@ozito.com.au

